

ANSA QUEENSLAND BRANCH INC

ELIGIBLE SPECIES LIST

1. Eligible species herein are listed in alphabetic order according to the first common name specified in the references used.
2. Common names have recently been standardised across Australia, so therefore some of the common names will be varied slightly. The Standard name has been substituted where required and the previous common name will still be included in brackets to help with the transition to the standard common name.
3. Where possible all the species available to Queensland anglers are now listed with both Common and Scientific names. The terms "ALL SPECIES" and "OTHER SPECIES" are only used where there are possibly more species available eg. Wrasses/Trevallys. Species are separated where different legal sizes/fight factors occur.
4. The reference used is E.M. Grant's "Guide to Fishes", "Fishes of the Great Barrier Reef and Coral Sea" by J.E. Randall, G.R. Allen and R.C. Steene, "Marine Fishes of Tropical Australis and South East Asia" by G. R. Allen and "Freshwater Fishes of Australia" by G.R. Allen, S.H. Midgley and M. Allen.
5. **SPECIAL NOTE:**
 - a) Some species included are not eligible for National Record and Masters Award claims and are indicated by a "Q".
 - b) Certain species in the National Eligible Species List have been excluded due to their absence from Queensland waters.

The size and bag limits that are stated below are subject to constant review by the Queensland Fisheries Service and other state or federal bodies.

Please be aware of these changes when they occur and abide by the changes to size and bag limits. Many areas and species now have seasonal closures as well eg. Coral Reef Fin Fish closures. Fisheries laws can change at any time. **ANSA Qld Inc. will not be responsible for any member who breaks Fisheries laws.**

There are slight changes to fisheries regulations while fishing in stocked impoundments eg. you may have one barramundi in your possession during the closed season and that fish may be over 120cm **only if you catch the fish in a stocked impoundment.**
Note; Fish need to be tagged before leaving a stocked impoundment in some areas.

A combined take and possession limit of 20 will apply to coral reef fin fish (as listed in the Fisheries 'Coral Reef Fin Fish' management plan 2003), however within this combined limit, anglers must comply with individual take and possession limits for various fish species.

Please note: Gold Spot and Black Spot Cod are now listed as Coral Reef Finfish Species. They will be included in the nine day closures and will need to have their fin clipped.

N.B. Please make yourself fully aware of the current regulations and any amendments.

This list now contains the Freshwater Species that attain a length of greater than 200ml. Some now regulated Freshwater species do not appear on this list because they do not reach 200ml. Please check against Fisheries Regulations.

Species with no Length or Factor are not Regulated fish and are therefore No Take species for ANSA Qld. Species listed for identification only

(SC) Left Column means this species has a Seasonal Closures

RECORDS & TAGGING	SPECIES	SUB SPECIES (Tag Pts)	SCIENTIFIC NAME	LENGTH Min / Max	FACTOR	BAG LIMIT
G	Albacore		<i>Thunnus alalunga</i>	75	1.5	
G	Amberjack		<i>Seriola dumerilii</i> <i>Seriola rivoliana</i>	50	1.5	Combined bag limit of 2 for amberjack and samsonfish
	Anchovy	Freshwater	<i>Thryssa scratchleyi</i>	20	1.0	
	Archer Fish(Rifle)	Common Primitive Western Estuarine	<i>Toxotes chatareus</i> <i>Toxotes lorentzi</i> <i>Toxotes oligolepis</i> <i>Toxotes jaculatrix</i>	18	1.0	20
G	Barracuda	Great Big Eye Heller's Pickhandle Chevron	<i>Sphyaena barracuda</i> <i>Sphyaena forsteri</i> <i>Sphyaena halleri</i> <i>Sphyaena jello</i> <i>Sphyaena putnamiae</i>	55	0.9	
G T150 (SC)	Barramundi (excluding impoundments)	(3)	<i>Lates calcarifer</i>	58 / 120 Gulf 60 / 120	1.5	5
	impoundments	See above and check fisheries regulations				
G (SC)	Bass	Australian	<i>Macquaria novemaculeata</i>	30	1.5	2
Q		Sand	<i>Psammoperca waigiensis</i>	30	0.8	
	Batfish	Hump Headed Orbicular Pinnate Teira Short-finned	<i>Platax batavianus</i> <i>Platax orbicularis</i> <i>Platax pinnatus</i> <i>Platax teira</i> <i>Platax novemaculeatus</i>	28	1.3	
	Blue-eye	Gertrude's	<i>Pseudomugil gertrudae</i>	20	1.0	
G	Bonefish		<i>Albula argentea</i>	30	2.0	
G	Bonito	Australian	<i>Sarda australis</i>	40	1.5	
		Leaping	<i>Cybiosarda elegans</i>	35		
		Oriental	<i>Sarda orientalis</i>	40		
(SC) (SC)	Bream	Big-eye	<i>Monotaxis grandoculis</i>	25	1.4	5 per species
		Mozambique large-eye	<i>Wattsia mossambica</i>			
T150 T150		Pikey(3) Yellow Fin(2) Southern	<i>Acanthopagrus berda</i> <i>Acanthopagrus australis</i> <i>Acanthopagrus butcheri</i>	28	1.2	30 (combined limit with Tarwhine Effective Mar 2010)
		Bony	<i>Nematolosa erebi</i> <i>Nematolosa come</i> <i>Chatoessus richardsoni</i> <i>Chatoessus elongatus</i>	25	0.5	20 per species
		Western Yellowfin	<i>Acanthopagrus latus</i>	28	1.0	
(SC)All	Sea-bream	Collared	<i>Gymnocranius audleyi</i>	25	1.4	5 per species
		Gold-lined	<i>Gnathodentex aurolineatus</i>			
		Japanese	<i>Gymnocranius euanus</i>			
		Robinson's	<i>Gymnocranius grandoculis</i>			
		Spotted	<i>Gymnocranius sp.</i>			
Q	Bullrout	Freshwater	<i>Notesthes robusta</i>	25	1.0	
G Not eligible for Qld Records or Masters	Carp	European (also known as Mirror, Calico & Koi)	<i>Cyprinus carpio</i>	-	0.8	Not eligible for Qld Records or Masters
		Common	<i>Carassius auratus</i>			

	Catfish Forktailed	Blue Carpentaria Giant Salmon Lesser Salmon Salmon Small mouthed Striped Threadfin	<i>Neoarius graeffei</i> <i>Sciades paucus</i> <i>Neoarius thalassinus</i> <i>Neoarius berneyi</i> <i>Neoarius leptaspis</i> <i>Cinetodus froggatti</i> <i>Plotosus lineatus</i> <i>Neoarius armiger</i>	35	1.2	20
	Catfish Eel tailed	Freshwater	<i>Tandanus tandanus</i>	35	1.0	5 in total all freshwater catfish
		Black Cooper Creek Cobbler Freshwater cobbler Hyrtl's Narrow fronted Randahl's Short spined Silver Tandan Toothless	<i>Neosilurus ater</i> <i>Neosiluroides cooperensis</i> <i>Cnidoglanis</i> <i>macrocephalus</i> <i>Tandanus bostocki</i> <i>Neosilurus hyrtl</i> <i>Neosilurus ater</i> <i>Porochilus rendahli</i> <i>Neosilurus mollespiculum</i> <i>Porochilus argenteus</i> <i>Anodontiglanis dahli</i>	-	1.0	
G	Cobia		<i>Rachycentron canadum</i>	75	1.5	2
(SC)	Cod	Blue maori	<i>Epinephelus cyanopodus</i>	38	1.5	Combined limit of 5 in total all Cods, Rockcods and Groper
(SC)		Coral	<i>Cephalopholis miniata</i>			
(SC) T150		Gold Spot (3)	<i>Epinephelus coioides</i>	38 / 120		
(SC) T150		Black Spot (3)	<i>Epinephelus malabaricus</i>	38 / 120		
(SC) Q		Flowery	<i>Epinephelus fuscoguttatus</i>	50 / 70		
(SC) Q		Maori Rock	<i>Epinephelus undulatostratus</i>	45		
(SC)		Saddled (Black Rock)	<i>Epinephelus damelli</i>	50 / 100	0.8	
(SC)		Trout	<i>Epinephelus maculatus</i>	38	1.5	
(SC)All	(Rock)Cod	Areolate	<i>Epinephelus areolatus</i>			
		Bar	<i>Epinephelus ergastularius</i>			
		Black saddled	<i>Epinephelus howlandi</i>			
		Black-tipped	<i>Epinephelus fasciatus</i>			
		Blue-lined	<i>Cephalopholis formosa</i>			
		Blue spotted	<i>Cephalopholis cyanostigma</i>			
		Brown-barred	<i>Cephalopholis boenak</i>			
		Camourflage	<i>Epinephelus polyphemadion</i>	50 / 70		
		Chinaman	<i>Epinephelus rivulatus</i>	38		
		Coral	<i>Epinephelus corallicola</i>			
		Dothead	<i>Cephalopholis microprion</i>			
		Dwarf spotted	<i>Epinephelus merra</i>			
		Flagtail	<i>Cephalopholis urodeta</i>			
		Four saddle	<i>Epinephelus spilotoceps</i>			
		Greasy	<i>Epinephelus tauvina</i>	38 / 100		
		Hexagon	<i>Epinephelus hexagonatus</i>	38		
		Leopard	<i>Cephalopholis leopardus</i>			
		Longfin	<i>Epinephelus quoyanus</i>			
		Peacock	<i>Cephalopholis argus</i>			
		Redmouth	<i>Aethaloperca rogaa</i>			
		Six bar	<i>Epinephelus sexfasciatus</i>			
		Six spot	<i>Cephalopholis sexmaculata</i>			

		Snubnose	<i>Epinephelus macrospilos</i>				
		Speckled-fin	<i>Epinephelus ongus</i>				
		Strawberry	<i>Cephalopholis spiloparaea</i>				
		Thin spine	<i>Gracila albomarginata</i>				
		Tomato	<i>Cephalopholis sonnerati</i>				
		White lined	<i>Anyperodon leucogrammicus</i>				
		White spotted	<i>Epinephelus caeruleopunctatus</i>				
	Cod (F/Water)	Clarence River	<i>Maccullochella</i>	30	0.8	1 (see regulations) 2(SC)	
		Eastern	<i>Bunaka gyrinoides</i>	30			
		Mary River	<i>Maccullochella peeli</i>	50			
		Murray	<i>Maccullochella macquariensis</i>	60 / 110			
Q		Sleepy	<i>Oxyeleotris lineolatus</i>	30		20	
		Western	<i>Oxyeleotris selheimi</i>				
	Croker	Small-mouthed	<i>Nibea microgenys</i>	20	1.0		
		Scaly	<i>Nibea squamosa</i>				
	Dart	Common	<i>Trachinotus botla</i>	35	1.5		
		Giant	<i>Trachinotus anak</i>				
		Northern	<i>Trachinotus bailloni</i>				
		Snub nosed	<i>Trachinotus blochi</i>		2.0		
		Swallow Tail	<i>Trachinotus coppingeri</i>		1.5	30	
G	Dolphin Fish	Common	<i>Coryphaena hippurus</i>	50	1.5	5	
	Drummer	Black	<i>Girella elevata</i>	30	1.5		
		Low-finned	<i>Kyphosus vaigiensis</i>				
(SC)All	Emperor	Lancer	<i>Lethrinus genivittatus</i>	25	1.4	5 per species	
		Long Nosed	<i>Lethrinus olivaceus</i>	38			
		Orange-striped	<i>Lethrinus obsoletus</i>	25			
		Pink-eared	<i>Lethrinus lentjan</i>				
G T200		Red (6)	<i>Lutjanus sebae</i>	55			
		Red-eared	<i>Lethrinus rubrioperculatus</i>	25			
		Red Throat	<i>Lethrinus miniatus</i>	38			8 per species
T200		Spangled(6)	<i>Lethrinus nebulosus</i>	45			5 per species
		Sweet lip	<i>Lethrinus chrysostomos</i>	38			8 per species
		Thumbprint	<i>Lethrinus horak</i>	25			5 per species
		Variiegated	<i>Lethrinus variegatus</i>				
		Yellow-lipped	<i>Lethrinus xanthochilus</i>				
		Yellow-spotted	<i>Lethrinus erythracanthus</i>				
		Yellow-striped	<i>Lethrinus ornatus</i>				
		Yellow-tailed	<i>Lethrinus atkinsoni</i>				
	Flathead	Bar tailed	<i>Platycephalus indicus</i>	30	1.0	Combined total 5	
		Blue Spotted	<i>Platycephalus caeruleopunctatus</i>				
		Fringe-eyed	<i>Cymbacephalus nematophthalmus</i>				
		Marbled	<i>Platycephalus marmoratus</i>				
		Northern Rock	<i>Cymbacephalus paralis</i>				
		Sand	<i>Platycephalus arenarius</i>				
		Tiger	<i>Platycephalus richardsoni</i>				
T200		Dusky (2)	<i>Platycephalus fuscus</i>				40 / 75
	Flounder	Leopard	<i>Bothus pantherinus</i>	20	1.2		
		Large-toothed	<i>Pseudorhombus arsuis</i>				
		Long-snouted	<i>Ammotretis rostratus</i>				
		Peacock	<i>Pseudorhombus argus</i>				
		Small-toothed	<i>Pseudorhombus jenynsii</i>				
	Garr	Black barred	<i>Hemiramphus far</i>	25	1.0	50	
		Eastern river	<i>Hyporhamphus regularis</i>				
		Long jawed	<i>Rhynchohamphus georgi</i>				

		River	<i>Hyporhamphus ardelio</i>				
		Short nosed	<i>Hyporhamphus quoyi</i>				
		Slender	<i>Hyporhamphus dussumieri</i>				
		Snub-nosed	<i>Arrhamphus sclerolepis</i>				
		Three-by-two	<i>Hemiramphus robustus</i>				
	Glassfish	Giant	<i>Parambassis gulliveri</i>	25	1.0		
	Goby	Tadpole	<i>Chlamydogobius ranunculus</i>	20	1.0		
(SC)All	Groper	Blue	<i>Achoerodus viridis</i>	38	1.5	Combined limit of 5 in total all Cods, Rockcods and Gropers	
		Comet	<i>Epinephelus morrhua</i>				
		Eight bar	<i>Epinephelus octofasciatus</i>				
		New Zealand	<i>Polyprion oxygenios</i>				
		Oblique-banded	<i>Epinephelus radiatus</i>				
		Speckled	<i>Epinephelus magniscuttis</i>				
		Red	<i>Achoerodus gouldii</i>				
	Grunter	Barcoo	<i>Scortum barcoo</i>	30	1.6	5 in total Welch's/Barcoo/ & Silver perch	
		Welch's	<i>Bidyanus welchi</i>	30	1.6		
		Silver Perch	<i>Bidyanus bidyanus</i>	30	1.2		
T150		Sooty(2)	<i>Hephaestus fuliginosus</i>	28	1.6	10 in total	
		Burdekin	<i>Scortum parviceps</i>				
		Gulf	<i>Scortum ogilbyi</i>				
		Khaki	<i>Hephaestus tulliensis</i>				
		Leathery	<i>Scortum hillii</i>				
		Lorentz's	<i>Pingalla lorentzi</i>				
		Silver	<i>Mesopristes argenteus</i>				
		Small-headed	<i>Scortum parviceps</i>				
	Gudgeon	Brown	<i>Eleotris fusca</i>	20	1.0	20	
			Snakehead				<i>Giurus margaritacea</i>
			Spangled				<i>Ophiocara porocephala</i>
	Gurnard	Flying	<i>Dactyloptena orientalis</i>	25	0.5		
	Hairtail		<i>Trichiurus savala</i>	40	0.8		
Q	Halibut	Qld	<i>Psettodes erumei</i>	20	1.2		
	Herring	Giant	<i>Elops australis</i>	35	2.0		
			<i>Elops hawaiiensis</i>				
		Wolf	<i>Chirocentrus dorab</i>	75	0.8	10	
G		Ox Eye (Tarpon)	<i>Megalops cyprinoides</i>	30	2.0		
	Hogfish	Blackfin	<i>Bodianus loxozonus</i>	30	1.0	5 per species	
		Goldspot	<i>Bodianus perditio</i>				
(SC) Q	Hussar	Blue Banded	<i>Lutjanus quinquelineatus</i>	30	1.4	10	
		Pink	<i>Lutjanus adetii</i> , <i>Lutjanus amabilis</i> <i>Lutjanus vitta</i>				
T150	Grunter Bream (Javelin Fish)	Spotted (2)	<i>Pomaddasys argenteus</i>	40	1.2	10 Gulf 10or20 fillets	
		SmallSpotted (4)	<i>Pomaddasys kaakan</i>	30	1.2	10	
T200	Jewfish	Black (Spotted)(6)	<i>Protonibea diacanthus</i>	75 Gulf 60-120	1.0	2 Gulf 5 (only 2 > 100)	
T200		Mulloway (6)	<i>Argyrosomus hololepidotus, japonicus</i>	75	1.0	2	
		Scaly	<i>Nibea squamosa</i>	45	1.0		
(SC)All	Job fish	Green	<i>Aprion virescens</i>	38	1.0	5	
		Rosy(Crimson)	<i>Pristipomoides filamentosus</i>	38	1.5	8 in total both species	
		Lavender	<i>Pristipomoides sieboldii</i>				
		Small toothed	<i>Aphareus furca</i>	38	1.0	5	

	John Dory		<i>Zeus faber</i>	30	0.8		
G	Kingfish	Black banded	<i>Seriolina nigrofasciata</i>	45	1.5		
		Yellowtail	<i>Seriola lalandi</i>	60	1.5	2	
	Leather Jacket		ALL SPECIES	25	0.5		
	Long Tom	Barred	<i>Ablennes hians</i>	45	1.2		
		Crocodile	<i>Tylosurus crocodilus</i>				
		Freshwater	<i>Strongylura krefftii</i>				
		Stout	<i>Tylosurus gavialoides</i>				
	Luderick		<i>Girella tricuspidata</i>	30	1.2	10	
G	T250	Mackerel	Frigate	<i>Auxis thazard</i>	25	1.0	
			Frigate (Lesser)	<i>Auxis roachi</i>			
			Jack (Horse)	<i>Trachurus declivis</i>			
G	T200		Narrow Barred (2)	<i>Scomberomorus commerson</i>	75	1.0	3
G	T200		Qld School (E. Coast)(2)	<i>Scomberomorus queenslandicus</i>	50	1.0	10
G	T200		Grey(2)	<i>Scomberomorus semifasciatus</i>	60	1.0	5
G			Shark	<i>Grammatorcynus spp</i>	50	1.0	10
G	T250		Spotted (2)	<i>Scomberomorus munroi</i>	60	1.0	5
	T150	Mangrove Jack	(6)	<i>Lutjanus argentimaculatus</i>	35	2.0	5
G		Marlin	Black	<i>Makaira indica</i>	100	1.2	
			Blue	<i>Makaira nigricans</i>			
			Indo-pacific blue	<i>Makaira mazara</i>			
			Striped	<i>Tetrapturus audax</i>			
	Milk Fish		<i>Chanos chanos</i>	30	2.0		
	Morwong	Grey	<i>Nemadactylus douglastii</i>	30	0.8		
		Red	<i>Cheilodactylus fuscus</i>				
		Brown	<i>Plectorhynchus nigrus</i>				
	Mullet	Basket	<i>Lisa diadema</i>				
		Blue-tailed	<i>Valamugil seheli</i>				
		Diamond	<i>Liza alata</i>	30	1.0		
		Diamond Scale	<i>Liza vaigienses</i>	30	1.0	20	
		Fantail	<i>Valamugil georgii</i>				
		Freshwater	<i>Myxus petardi</i>	30	1.0	20	
		Greenback	<i>Liza subviridis</i>				
		Pop-eye	<i>Squalomugil nasutus</i>				
		Sand	<i>Myxus elongatus</i>				
		Sea	<i>Mugil cephalus</i>	30	1.0	20	
		Tiger	<i>Lisa argenyea</i>				
		Warty-nosed	<i>Crenimugil crenilabis</i>				
(SC)All	Parrot Fish	Blue-barred	<i>Scarus ghobban</i>	30	1.0	5 per species	
		Bicolour	<i>Cetoscarus bicolor</i>				
		Bridled	<i>Scarus frenatus</i>				
		Bumphead	<i>Bolbometopon muricatus</i>				
		Caroline's	<i>Calotomus carolinus</i>				
		Daisy	<i>Chlorurus sordidus</i>				
		Ember	<i>Scarus rubroviolaceus</i>				
		Marbled	<i>Leptoscarus vaigiensis</i>				
		Pacific longnose	<i>Hipposcarus longiceps</i>				
		Steephead	<i>Chlorurus microrhinus</i>				
		Yellowfin	<i>Scarus flavipectoralis</i>				
			Pennantfish				
Q	Perch	Crescent	<i>Terapon jarbua</i>	20	1.0		
		Golden (Yellowbelly)	<i>Macquaria ambigua</i>	30		10	
		Pearl	<i>Glaucosoma scapulare</i>	35		5	

		Silver (see Grunter)						
	Q	Spangled	<i>Leiopotherapon unicolor</i>	18	1.0	20		
		Pomfret	Black	<i>Parastromateus niger</i>	28	1.3		
		Queenfish (Leatherskin)	Barred	<i>Scomberoides tala</i>	45	1.5		
G			Double Spot	<i>Scomberoides lysan</i>				
G	T300		Giant(4)	<i>Scomberoides commersonianus</i>			50	5(Gulf No-limit)
			Needleskin	<i>Scomberoides tol</i>			45	
G		Rainbow Runner		<i>Elagatis bipinnulatus</i>	45	1.5		
All sharks & Two Dorsal Finned Rays (Not round bodied rays) Max 1.5m Bag limit 1 Effective 1/07/2009								
		Ray	Australian cownose	<i>Rhinoptera neglecta</i>	60	0.5		
			Cowtail	<i>Pastinachus sephen</i>				
			Eagle	<i>Metobatus narinari</i>			1.0	
			Freshwater	<i>Himantura chaophraya</i>		0.5		
			Pelagic	<i>Dasyatis violecea</i>				
			Reticulate	<i>Himantura uarnak</i>				
			Whip					
			Sixgill	<i>Hexatrygon bickelli</i>				
			Smooth	<i>Dasyatis brevicaudata</i>				
		Ray Shovelnose	Bank's	<i>Aptychotrema rostrata</i> (G)	60 / 1500	1.0		
			Black Blotched	<i>Aptychotrema bougainvillii</i>				
			Common	<i>Rhinobatos batillum</i> (F)				
			Giant	<i>Rhinobatos typus</i>				
			White Spotted	<i>Rhynchobatus djiddensis</i> <i>Rhynchobatus australiae</i>				
G		Sailfish	Indo- pacific	<i>Istiophorus platypterus</i>	100	1.3		
G		Salmon	Australian	<i>Arripis trutta</i>	40	1.2		
			Beach	<i>Leptobrama mulleri</i>	25	1.0		
G		Samson Fish		<i>Seriola hippos</i>	50	1.5	Combined bag limit of 2 for amberjack and samsonfish	
		Saratoga	Northern	<i>Scleropages jardini</i>	50	1.4		
			Southern	<i>Scleropages leichardti</i>				
		Saw Fish		ALL SPECIES	NO TAKE			
		Scad	Finny	<i>Megalaspis cordyla</i>	35	1.0		
	Q		Mackerel (Russell's)	<i>Decapterus russellii</i>				
			Redtail	<i>Decapterus kurroides</i>				
			Rough-Ear	<i>Decapterus tabl</i>				
		Scat	Banded	<i>Selenotoca multifasciata</i>	20	1.0		
			Spotted	<i>Scatophagus argus</i>				
		Sea Perch	Yellow margined	<i>Lutjanus fulvus</i>				
		Sea Pike	Striped	<i>Sphyaena obtusata</i>	30	0.6		
	Q	Sergeant Baker		<i>Aulopus purpurissatus</i>	25	1.0		
		Sickle Fish		<i>Drepane punctata</i>	28	1.3		
G (SC)	T150	Snapper	(3)	<i>Pagrus auratus</i>	35	1.0	4 (with only 1 allowed over 70cm)	
(SC)			Flame	<i>Etelis coruscans</i>	38	1.0	5	
(SC)			Gold Band	<i>Pristipomoides multidentis</i> <i>Pristipomoides typus</i>	38	1.0	5	
	T150		Golden (6)	<i>Lutjanus johnii</i>	40	1.8	5 (Gulf 10)	

(SC) T200		Crimson (6) (Small mouth)	<i>Lutjanus erythraeus</i>	40	1.4	9 in total both species
(SC) T200		Saddle Tail (6) (Large mouth)	<i>Lutjanus malabaricus</i>	40	1.4	
Q (SC)		Long spined	<i>Argyrops spinifer</i>	35	1.0	
Q (SC)		Moses	<i>Lutjanus russeli</i>	35	1.4	
(SC)		Ruby	<i>Etelis carbunculus</i>	38	1.4	5
Q (SC)		Stripey	<i>Lutjanus carponotatus</i>	35	1.4	
(SC)		Others	<i>Lutjanus sp.</i>	35	1.4	5
Q	Sole	Black	<i>Brachirus nigra</i>	20	1.2	
		Many-banded	<i>Zebrias fasciatus</i>			
		Narrow-banded	<i>Aseraggodes macleayanus</i>			
Q	Sucker-fish (remora)	Slender	<i>Echeneis naucrates</i>	45	0.8	
		Short	<i>Remora remora</i>			
(SC)	Sweetlip	Celebes	<i>Plectorhynchus celebicus</i>	30	1.4	5 10
T150		Grass(Red finned)(4)	<i>Lethrinis fletus</i>			
(SC)All		Painted	<i>Diagramma pictum</i>			
		Two-striped	<i>Plectorhynchus albobittatus</i>			
G	Sword Fish	Broadbill	<i>Xiphias gladius</i>	100	2.2	
All sharks & Two Dorsal Finned Rays Max 1.5m Bag limit 1 Effective 1/07/2009						
G	Shark	Blue	<i>Prionace glauca</i>	60	0.5	1
		Bull	<i>Carcharhinus leucas</i>	60	1.0	
		Gummy	<i>Mustelus antarcticus</i>	60	0.8	
G		Hammerhead	<i>Sphyrna lewini</i>	60	1.0	
Q		Little Blue	<i>Scoliodon palasorrah</i>	60	0.8	
Q		Slender Dog	<i>Scoliodon jordani</i>	60	0.8	
G		Mako	<i>Isurus glaucus</i>	60	1.0	
		School	<i>Galeorhinus australis</i>	60	0.8	
G		Thresher	<i>Alopias caudatus</i>	60	1.0	
G		Tiger	<i>Galeocerdo cuvieri</i>	60	0.8	
G		Whaler	<i>Carcharhinus sp.</i>	60	0.8	
Q		White Tip	<i>Triaenodon apicalis</i>	60	0.8	
		Wobbegong	<i>Orectolobus sp.</i>	60	0.25	
G		Tailor		<i>Pomatomus saltatrix</i>	35	
	Tarwhine		<i>Rhabdosargus sarba</i>	28	1.2	30 (combined limit with Bream effective Mar 2010)
	Teraglin		<i>Atractoscion aequidens</i>	38	0.8	5
		Silver(yankee whiting)	<i>Otilithes ruber</i>	30	0.8	
G T300	Threadfin	King (3)	<i>Polydactylus macrochir</i>	60	1.9	5
T300		Blue (3)	<i>Eleutheronema tetradactylum</i>	40	1.9	10 (Gulf 20)
G T300	Trevally	Big Eye (4)	<i>Caranx sexfasciatus</i>	35	1.5	20 each species
		Black	<i>Caranx lugubris</i>			
		Bludger	<i>Carangoides gymnotethus</i>			
		Blue	<i>Carangoides ferdua</i>			
		Bluefin	<i>Caranx melampygus</i>			
		Blue-Spotted	<i>Caranx bucculentus</i>			
		Brassy	<i>Caranx papuensis</i>			
		Club-Nosed	<i>Carangoides chrysophrys</i>			
		Diamond	<i>Alectes indicus</i>			
		Fringe-Finned	<i>Absalom radiatus</i>			
G T200		Giant (3)	<i>Caranx ignobilis</i>			

G		Golden	<i>Gnathanodon speciosus</i>			
G		Gold Spot	<i>Carangoides fulvoguttatus</i>			
		Onion	<i>Carangoides caeruleopinnatus</i>			
G		Silver	<i>Pseudocaranx dentex</i>			
		Thicklip	<i>Carangoides orthogrammus</i>			
		Tille	<i>Caranx tille</i>			
		Whitefin	<i>Carangoides equula</i>			
		All Others	ALL SPECIES			
G		Triple Tail (Jumping Cod)	<i>Lobotes surinamensis</i>	35	1.8	
(SC) T300		Trout	<i>Plectropomus maculatus</i>	38	1.5	7 in total of all species
(SC) T300		Bar cheeked(3)	<i>Plectropomus laevis</i>	50 / 80	1.5	
(SC) T300		Blue Spot(3)	<i>Plectropomus leopardus</i>	38	1.5	
(SC)All		Coral(3)	<i>Plectropomus leopardus</i>	38	1.5	
		Coronation	<i>Variola louti</i>			
		Highfin	<i>Plectropomus oligacanthus</i>			
		Lyretail	<i>Variola albimarginata</i>			
		Squartail	<i>Plectropomus areolatus</i>			
		Trumpeter	<i>Amniataba caudaavittata</i>	20	1.0	
G		Tuna	<i>Thunnus obesus</i>	40	1.5	
		Big-eyed	<i>Thunnus obesus</i>			
		Dogtooth	<i>Gymnosarda unicolor</i>			
		Longtail	<i>Thunnus tonggol</i>			
		Mackerel	<i>Euthynnus affinis</i>			
		Skipjack	<i>Katsuwonus pelamis</i>			
		Southern Bluefin	<i>Thunnus maccoyi</i>			
		Yellowfin	<i>Thunnus albacares</i>			
(SC) Q		Tusk Fish	<i>Choerodon cyanodus</i>	30	1.4	6 in total of all species
(SC)All		Blue	<i>Choerodon cyanodus</i>			
		Black Spot	<i>Choerodon schoenleinii</i>			
		Purple	<i>Choerodon cephalotes</i>			
		Venus	<i>Choerodon venustus</i>			
Q		OTHERS	OTHER SPECIES		1.0	
(SC)All		Anchor	<i>Choerodon anchorago</i>			
		Glass	<i>Choerodon cephalotes</i>			
		Graphic	<i>Choerodon graphicus</i>			
G		Wahoo	<i>Acanthocybium solandri</i>	75	1.3	2
		Whiting	<i>Sillago analis</i>	23	1.3	30 combined limit
		Golden-lined	<i>Sillago analis</i>			
		Northern	<i>Sillago sihama</i>			
T300		Sand (2)	<i>Sillago ciliata</i>			
		Spotted	<i>Sillago punctata</i>			
		Stout	<i>Sillago robusta</i>			
		Trumpeter (Eastern)	<i>Sillago maculata (maculata)</i>			
		Trumpeter (Western)	<i>Sillago maculata (burrus)</i>			
		OTHERS	OTHER SPECIES			
(SC)All		Wrasse	<i>Anampses caeruleopunctatus</i>	30	1.0	5 per species
		Blue-Spotted	<i>Anampses caeruleopunctatus</i>			
		Cigar	<i>Cheilio inermis</i>			
		Floral Maori	<i>Cheilinus chlorourus</i>			
		Hump Headed	<i>Cheilinus undulatus</i>			
		Red-Breasted Maori	<i>Cheilinus fasciatus</i>	30	1.0	
		Ringtail Maori	<i>Cheilinus unifasciatus</i>			
		Triple-Tail Maori	<i>Cheilinus trilobatus</i>			
					NoTake	

		Twospot Maori	<i>Cheilinus bimaculatus</i>			
			<i>OTHER SPECIES</i>			

Foot Note: spp.~ All fish of that genus ; Species names may vary depending on reference books used
 G Gamefishing Division ; Q Queensland records only ; T Eligible species for tagging (min length in mm after symbol)